

2-pyridyloxy)-1,3-dihydroxypentane; 3-(3,5-diamino-2-pyridyloxy)-2-hydroxypropanol; 4-hydroxy-2,5,6-triaminopyrimidine, and mixtures thereof.

Claim 8 (original): A method according to claim 1 wherein said oxidation hair dye precursor composition comprises:

- (a) about 0.001% to about 1.0% of an oxidation hair dye precursor;
- (b) about 0.001% to about 1.0% of a second oxidation hair dye precursor; and
- (c) an aqueous carrier.

Claim 9 (original): A method according to claim 1 wherein said oxidation hair dye precursor composition comprises:

- a) about 0.02% to about 0.1% of an oxidation hair dye precursor;
- b) optionally about 0.02% to about 0.1% of a second oxidation hair dye precursor; and
- c) an aqueous carrier.

Claim 10 (original): A method according to claim 5 wherein said oxidation hair dye precursor composition comprises:

- a) about 0.01 to about 10% of an oxidative compound;
- b) about 0.01 to about 5% of a basifying compound; and
- c) an aqueous carrier.

Claim 11 (original) A method according to claim ~~11~~¹ wherein said oxidative composition comprises

- a) about 0.1 to about 5.0% of an oxidative compound;
- b) about 0.1 to about 3.0% of a basifying agent; and
- c) an aqueous carrier.